

Safety Data Sheet

Copyright, 2024, Meguiar's Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Meguiar's Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document group: 41-3194-2 **Version number:** 2.01

Revision date: 11/03/2024 **Supersedes date:** 08/02/2024

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Synthetic X-Press Spray Wax (Detailer) D156 [D15632 D15601]

Product Identification Numbers

14-1000-6111-9 14-1001-5526-7

7000043843 7100315519

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Automotive

1.3. Details of the supplier of the safety data sheet

Address: 3M Ireland Limited, The Iveagh Building, The Park, Carrickmines, Dublin 18.

Telephone: +353 1 280 3555 E Mail: tox.uk@mmm.com Website: www.3M.com

1.4. Emergency telephone number

Emergency medical information: 8am-10pm (seven days) contact National Poisons Information Centre, Beaumont Hospital, Dublin 9 DOV2NO, Ireland. Telephone Number: +353 (0)1 809 2166

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture CLP REGULATION (EC) No 1272/2008

The health and environmental classifications of this material have been derived using the calculation method, except in cases where test data are available or the physical form impacts classification. Classification(s) based on test data or physical form are noted below, if applicable.

CLASSIFICATION:

Hazardous to the Aquatic Environment (Chronic), Category 3 - Aquatic Chronic 3; H412

For full text of H phrases, see Section 16.

2.2. Label elements

CLP REGULATION (EC) No 1272/2008

HAZARD STATEMENTS:

H412 Harmful to aquatic life with long lasting effects.

SUPPLEMENTAL INFORMATION:

Supplemental Hazard Statements:

EUH208

Contains 4-(4-hydroxy-4-methylpentyl)cyclohex-3-ene-1-carbaldehyde. | reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

Information required per Regulation (EU) No 528/2012 on Biocidal Products:

Contains a biocidal product (preservative): C(M)IT/MIT (3:1).

2.3. Other hazards

None known.

This material does not contain any substances that are assessed to be a PBT or vPvB

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Ingredient | Identifier(s) | % | Classification according to Regulation |
|--|----------------------|----------|--|
| | | | (EC) No. 1272/2008 [CLP] |
| Non-Hazardous Ingredients | Mixture | 80 - 100 | Substance not classified as hazardous |
| Alcohols, C11-14-iso-, C13-rich, | (CAS-No.) 78330-21-9 | < 0.2 | Acute Tox. 4, H302 |
| ethoxylated | | | Eye Dam. 1, H318 |
| | | | Aquatic Acute 1, H400,M=1 |
| | | | Aquatic Chronic 1, H410,M=1 |
| 4-(4-hydroxy-4-methylpentyl)cyclohex- | (CAS-No.) 31906-04-4 | < 0.02 | Skin Sens. 1A, H317 |
| 3-ene-1-carbaldehyde | (EC-No.) 250-863-4 | | |
| | | | |
| Alcohols, C12-15, ethoxylated | (CAS-No.) 68131-39-5 | <= 0.01 | Aquatic Acute 1, H400,M=10 |
| | (EC-No.) 500-195-7 | | Aquatic Chronic 2, H411 |
| | | | |
| reaction mass of: 5-chloro-2-methyl-4- | (CAS-No.) 55965-84-9 | < 0.0015 | EUH071 |
| isothiazolin-3-one [EC no. 247-500- | (EC-No.) 911-418-6 | | Acute Tox. 3, H301 |
| 7]and 2-methyl-2H-isothiazol-3-one [EC | | | Skin Corr. 1C, H314 |
| no. 220-239-6] (3:1) | | | Eye Dam. 1, H318 |
| | | | Skin Sens. 1A, H317 |
| | | | Aquatic Acute 1, H400,M=100 |
| | | | Aquatic Chronic 1, H410,M=100 |
| | | | Nota B |
| | | | Acute Tox. 2, H330 |

| Acute Tox. 2, H310 | | |
|--------------------|--|--|
| | | |

Any entry in the Identifier(s) column that begins with the numbers 6, 7, 8, or 9 are a Provisional List Number provided by ECHA pending publication of the official EC Inventory Number for the substance.

Please see section 16 for the full text of any H statements referred to in this section

Specific Concentration Limits

| Ingredient | Identifier(s) | Specific Concentration Limits |
|--|--------------------|--|
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | (EC-No.) 911-418-6 | (C >= 0.6%) Skin Corr. 1C, H314 (0.06% =< C < 0.6%) Skin Irrit. 2, H315 (C >= 0.6%) Eye Dam. 1, H318 (0.06% =< C < 0.6%) Eye Irrit. 2, H319 (C >= 0.0015%) Skin Sens. 1A, H317 |

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

No need for first aid is anticipated. If symptoms develop, remove the affected person to fresh air. Get medical attention.

Skin contact

If exposed, wash with soap and water. If signs/symptoms develop, get medical attention.

Eye contact

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

If swallowed

Do not induce vomiting. Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Material will not burn.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

5.3. Advice for fire-fighters

No special protective actions for fire-fighters are anticipated.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with water. Seal the container. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep out of reach of children. Avoid release to the environment.

7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

No occupational exposure limit values exist for any of the components listed in Section 3 of this Safety Data Sheet.

Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

8.2. Exposure controls

8.2.1. Engineering controls

Use in a well-ventilated area.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Eye protection not required. Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended: Safety glasses with side shields.

Applicable Norms/Standards

Use eye protection conforming to EN 166

Skin/hand protection

No chemical protective gloves are required.

Respiratory protection

Under normal use conditions, airborne exposures are not expected to be significant enough to require respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| information on basic physical and chemical properties | | | | |
|---|------------------------------|--|--|--|
| Physical state | Liquid. | | | |
| Colour | White | | | |
| Odor | Moderate Odor, Sweet Odor | | | |
| Odour threshold | No data available. | | | |
| Melting point/freezing point | Not applicable. | | | |
| Boiling point/boiling range | 100 °C | | | |
| Flammability (solid, gas) | Not applicable. | | | |
| Flammable Limits(LEL) | Not applicable. | | | |
| Flammable Limits(UEL) | Not applicable. | | | |
| Flash point | Flash point > 93 °C (200 °F) | | | |
| Autoignition temperature | Not applicable. | | | |
| Decomposition temperature | No data available. | | | |
| pH | 6.95 - 7.85 | | | |
| Kinematic Viscosity | No data available. | | | |
| Water solubility | Complete | | | |
| Solubility- non-water | No data available. | | | |
| Partition coefficient: n-octanol/water | No data available. | | | |
| Vapour pressure | No data available. | | | |
| Density | 1 g/cm3 | | | |
| Relative density | 1 [Ref Std:WATER=1] | | | |
| Relative Vapour Density | No data available. | | | |
| Particle Characteristics | Not applicable. | | | |
| | | | | |

9.2. Other information

9.2.2 Other safety characteristics

EU Volatile Organic CompoundsNo data available.Evaporation rateNo data available.Molecular weightNo data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is considered to be non reactive under normal use conditions

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

None known.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

SubstanceConditionCarbon monoxideNot specified.Carbon dioxide.Not specified.Irritant vapours or gases.Not specified.

SECTION 11: Toxicological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from internal hazard assessments.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

No known health effects.

Skin contact

Contact with the skin during product use is not expected to result in significant irritation.

Eye contact

Sprayed material may cause eye irritation: Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

Ingestion

No known health effects.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

| Name | Route | Species | Value |
|---|-----------|---------|--|
| Overall product | Ingestion | | No data available; calculated ATE >5,000 mg/kg |
| Alcohols, C11-14-iso-, C13-rich, ethoxylated | Dermal | Rat | LD50 > 2,000 mg/kg |
| Alcohols, C11-14-iso-, C13-rich, ethoxylated | Ingestion | Rat | LD50 500-2000 mg/kg |
| 4-(4-hydroxy-4-methylpentyl)cyclohex-3-ene-1-carbaldehyde | Dermal | Rabbit | LD50 > 5,000 mg/kg |
| 4-(4-hydroxy-4-methylpentyl)cyclohex-3-ene-1-carbaldehyde | Ingestion | Rat | LD50 > 5,000 mg/kg |
| Alcohols, C12-15, ethoxylated | Ingestion | similar | LD50 > 2,000 mg/kg |
| | | compoun | |
| | | ds | |
| Alcohols, C12-15, ethoxylated | Dermal | similar | LD50 estimated to be > 5,000 mg/kg |
| | | health | |
| | | hazards | |

| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] | Dermal | Rabbit | LD50 | 87 mg/kg |
|---|-------------|----------|-------|------------|
| (3:1) | * 1 1 | . | T 050 | 0.151 |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. | Inhalation- | Rat | LC50 | 0.171 mg/l |
| 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] | Dust/Mist | | | |
| (3:1) | (4 hours) | | | |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. | Ingestion | Rat | LD50 | 40 mg/kg |
| 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] | | | | |
| (3:1) | | | | |

ATE = acute toxicity estimate

Skin Corrosion/Irritation

| Name | Species | Value |
|--|---------|---------------|
| | | |
| Alcohols, C11-14-iso-, C13-rich, ethoxylated | Rabbit | Mild irritant |
| Alcohols, C12-15, ethoxylated | Rabbit | Mild irritant |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and | Rabbit | Corrosive |
| 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | | |

Serious Eve Damage/Irritation

| Scribus Lyc Damage/Hittation | | |
|---|---------|---------------------------|
| Name | Species | Value |
| | ~ p | |
| | | |
| | D 111 | a : |
| Alcohols, C11-14-iso-, C13-rich, ethoxylated | Rabbit | Corrosive |
| Alcohols, C12-15, ethoxylated | similar | No significant irritation |
| | compoun | |
| | ds | |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and | Rabbit | Corrosive |
| 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | | |

Skin Sensitisation

| Name | Species | Value |
|--|---------|----------------|
| | | |
| Alcohols, C11-14-iso-, C13-rich, ethoxylated | Human | Not classified |
| 4-(4-hydroxy-4-methylpentyl)cyclohex-3-ene-1-carbaldehyde | Human | Sensitising |
| | and | |
| | animal | |
| Alcohols, C12-15, ethoxylated | similar | Not classified |
| | compoun | |
| | ds | |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and | Human | Sensitising |
| 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | and | |
| | animal | |

Photosensitisation

| Name | Species | Value |
|--|---------|-----------------|
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and | Human | Not sensitising |
| 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | and | |
| | animal | |

Respiratory Sensitisation

For the component/components, either no data is currently available or the data is not sufficient for classification.

Germ Cell Mutagenicity

| Name | Route | Value |
|---|----------|--|
| | | |
| Alcohols, C12-15, ethoxylated | In Vitro | Not mutagenic |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and | In vivo | Not mutagenic |
| 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | | |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and | In Vitro | Some positive data exist, but the data are not |
| 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | | sufficient for classification |

Carcinogenicity

| Name | Route | Species | Value |
|--|-----------|---------|------------------|
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Dermal | Mouse | Not carcinogenic |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Ingestion | Rat | Not carcinogenic |

Reproductive Toxicity

Reproductive and/or Developmental Effects

| Name | Route | Value | Species | Test result | Exposure Duration |
|---|-----------|--|---------|-----------------------------|--------------------------|
| Alcohols, C12-15, ethoxylated | Ingestion | Not classified for female reproduction | Rat | NOAEL 1,000 mg/kg/day | premating into lactation |
| Alcohols, C12-15, ethoxylated | Ingestion | Not classified for male reproduction | Rat | NOAEL 1,000 mg/kg/day | 29 days |
| Alcohols, C12-15, ethoxylated | Ingestion | Not classified for development | Rat | NOAEL 300 mg/kg/day | premating into lactation |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Ingestion | Not classified for female reproduction | Rat | NOAEL 10 mg/kg/day | 2 generation |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Ingestion | Not classified for male reproduction | Rat | NOAEL 10 mg/kg/day | 2 generation |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | Ingestion | Not classified for development | Rat | NOAEL 15 mg/kg/day | during organogenesis |

Target Organ(s)

Specific Target Organ Toxicity - single exposure

| Name | Route | Target Organ(s) | Value | Species | Test result | Exposure Duration |
|--|------------|------------------------|--|------------------------------|------------------------|----------------------|
| Alcohols, C11-14-iso-, C13-rich, ethoxylated | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar health hazards | NOAEL Not available | |
| Alcohols, C12-15, ethoxylated | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar health hazards | NOAEL Not available. | |
| reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) | Inhalation | respiratory irritation | May cause respiratory irritation | similar health hazards | NOAEL Not available | |

Specific Target Organ Toxicity - repeated exposure

| Name | Route | Target Organ(s) | Value | Species | Test result | Exposure Duration |
|-------------------------------|-----------|--|----------------|---------|-----------------------------|----------------------|
| Alcohols, C12-15, ethoxylated | Ingestion | endocrine system gastrointestinal tract liver kidney and/or bladder hematopoietic system nervous system eyes | Not classified | Rat | NOAEL 1,000 mg/kg/day | 13 weeks |

Aspiration Hazard

For the component/components, either no data is currently available or the data is not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

11.2. Information on other hazards

This material does not contain any substances that are assessed to be an endocrine disruptor for human health.

SECTION 12: Ecological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

12.1. Toxicity

No product test data available.

| Material | CAS# | Organism | Type | Exposure | Test endpoint | Test result |
|--|------------|-------------------------------|-----------------------|----------|---------------|-------------|
| Alcohols, C11-14-iso-, C13-rich, ethoxylated | 78330-21-9 | Fathead minnow | Analogous Compound | 96 hours | LC50 | 4.5 mg/l |
| Alcohols, C11-14-iso-, C13-rich, ethoxylated | 78330-21-9 | Green algae | Analogous Compound | 72 hours | EC50 | 0.5 mg/l |
| Alcohols, C11-14-iso-, C13-rich, ethoxylated | 78330-21-9 | Water flea | Analogous Compound | 48 hours | EC50 | 0.5 mg/l |
| Alcohols, C11-14-iso-, C13-rich, ethoxylated | 78330-21-9 | Algae or other aquatic plants | Analogous Compound | 72 hours | EC10 | >0.1 mg/l |
| 4-(4-hydroxy-4- methylpentyl)cyclohex- 3-ene-1-carbaldehyde | 31906-04-4 | Fathead minnow | Estimated | 96 hours | LC50 | 11.8 mg/l |
| 4-(4-hydroxy-4- methylpentyl)cyclohex- 3-ene-1-carbaldehyde | 31906-04-4 | Green algae | Estimated | 72 hours | EC50 | 25.4 mg/l |
| 4-(4-hydroxy-4- methylpentyl)cyclohex- 3-ene-1-carbaldehyde | 31906-04-4 | Water flea | Estimated | 48 hours | EC50 | 76 mg/l |
| 4-(4-hydroxy-4- methylpentyl)cyclohex- 3-ene-1-carbaldehyde | 31906-04-4 | Green algae | Estimated | 72 hours | NOEC | 5.95 mg/l |
| Alcohols, C12-15, ethoxylated | 68131-39-5 | Fish | Analogous Compound | 96 hours | LC50 | 1 mg/l |
| Alcohols, C12-15, ethoxylated | 68131-39-5 | Green algae | Analogous Compound | 72 hours | ErC50 | 0.57 mg/l |
| Alcohols, C12-15, ethoxylated | 68131-39-5 | Water flea | Analogous Compound | 48 hours | LC50 | 0.1 mg/l |
| Alcohols, C12-15, ethoxylated | 68131-39-5 | Green algae | Analogous Compound | 72 hours | NOEC | 0.035 mg/l |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | Activated sludge | Experimental | 3 hours | NOEC | 0.91 mg/l |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239- | 55965-84-9 | Bacteria | Experimental | 16 hours | EC50 | 5.7 mg/l |

| 6] (3:1) | | | | | | |
|---|------------|----------------------|--------------|----------|-------|--------------|
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | Copepod | Experimental | 48 hours | EC50 | 0.007 mg/l |
| reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7]and 2- methyl-2H-isothiazol- 3-one [EC no. 220-239- 6] (3:1) | 55965-84-9 | Diatom | Experimental | 72 hours | ErC50 | 0.0199 mg/l |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | Green algae | Experimental | 72 hours | ErC50 | 0.027 mg/l |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | Rainbow trout | Experimental | 96 hours | LC50 | 0.19 mg/l |
| reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7]and 2- methyl-2H-isothiazol- 3-one [EC no. 220-239- 6] (3:1) | 55965-84-9 | Sheepshead Minnow | Experimental | 96 hours | LC50 | 0.3 mg/l |
| reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7]and 2- methyl-2H-isothiazol- 3-one [EC no. 220-239- 6] (3:1) | 55965-84-9 | Water flea | Experimental | 48 hours | EC50 | 0.099 mg/l |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | Diatom | Experimental | 48 hours | NOEC | 0.00049 mg/l |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | Fathead minnow | Experimental | 36 days | NOEL | 0.02 mg/l |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | Green algae | Experimental | 72 hours | NOEC | 0.004 mg/l |
| reaction mass of: 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7]and 2- | 55965-84-9 | Water flea | Experimental | 21 days | NOEC | 0.004 mg/l |

| ı | Crunthatia V Duaga | Course War | (Detailer) D156 | ID15622 D15601 |
|---|--------------------|------------|-----------------|----------------|
| ı | Synthetic X-Press | Spray wax | (Detailer) DISO | U13034 D13001 |

| methyl-2H-isothiazol- | | | |
|------------------------|--|--|--|
| 3-one [EC no. 220-239- | | | |
| 6] (3:1) | | | |

12.2. Persistence and degradability

| Material | CAS Nbr | Test type | Duration | Study Type | Test result | Protocol |
|--|------------|---|----------|--------------------------------|---|--------------------------------------|
| Alcohols, C11-14-iso-, C13-rich, ethoxylated | 78330-21-9 | Experimental Biodegradation | 28 days | CO2 evolution | ≥50 %CO2 evolution/THC O2 evolution | OECD 301B - Modified sturm or CO2 |
| 4-(4-hydroxy-4- methylpentyl)cyclohex-3- ene-1-carbaldehyde | 31906-04-4 | Experimental Biodegradation | 28 days | BOD | 61 %BOD/ThO D | OECD 301C - MITI test (I) |
| Alcohols, C12-15, ethoxylated | 68131-39-5 | Analogous Compound Biodegradation | 28 days | CO2 evolution | 82 %CO2 evolution/THC O2 evolution | OECD 301B - Modified sturm or CO2 |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | Analogous Compound Biodegradation | 29 days | CO2 evolution | 62 %CO2 evolution/THC O2 evolution (does not pass 10-day window) | OECD 301B - Modified sturm or CO2 |
| reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) | 55965-84-9 | Experimental Hydrolysis | | Hydrolytic half-life (pH 7) | > 60 days (t 1/2) | |

12.3 : Bioaccumulative potential

| Material | Cas No. | Test type | Duration | Study Type | Test result | Protocol |
|---|------------|---|----------|------------------------|-------------|----------------------------|
| Alcohols, C11-14-iso-, C13-rich, ethoxylated | 78330-21-9 | Experimental BCF - Fish | 54 hours | Bioaccumulation factor | 232 | |
| 4-(4-hydroxy-4- methylpentyl)cyclohex-3- ene-1-carbaldehyde | 31906-04-4 | Estimated Bioconcentration | | Log Kow | 2.1 | |
| Alcohols, C12-15, ethoxylated | 68131-39-5 | Modeled BCF - Fish | | Bioaccumulation factor | 470 | Catalogic TM |
| Alcohols, C12-15, ethoxylated | 68131-39-5 | Experimental Bioconcentration | | Log Kow | 5.79 | OECD 123 log Kow slow stir |
| reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) | 55965-84-9 | Analogous Compound BCF - Fish | 28 days | Bioaccumulation factor | 54 | OECD305-Bioconcentration |
| reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) | 55965-84-9 | Analogous Compound Bioconcentration | | Log Kow | 0.4 | |

12.4. Mobility in soil

| Material | Cas No. | Test type | Study Type | Test result | Protocol |
|--|------------|----------------------------------|------------|-------------|-----------------------------------|
| 4-(4-hydroxy-4- methylpentyl)cyclohex-3- ene-1-carbaldehyde | 31906-04-4 | Estimated Mobility in Soil | Koc | 30 l/kg | Episuite TM |
| Alcohols, C12-15, ethoxylated | 68131-39-5 | Modeled Mobility in Soil | Koc | 280-2100 | Episuite TM |
| reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7]and | | Experimental Mobility in Soil | Koc | 10 l/kg | OECD 106 Adsp-Desb Batch Equil |

| 2-methyl-2H-isothiazol-3- | | | |
|---------------------------|--|--|--|
| one [EC no. 220-239-6] | | | |
| (3:1) | | | |

12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

12.6. Endocrine disrupting properties

This material does not contain any substances that are assessed to be an endocrine disruptor for environmental effects

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Incinerate in a permitted waste incineration facility. Dispose of waste product in a permitted industrial waste facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of the manufacturer, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor

EU waste code (product as sold)

200199 Other fractions not otherwise specified

SECTION 14: Transportation information

Not hazardous for transportation.

| | Ground Transport (ADR) | Air Transport (IATA) | Marine Transport (IMDG) |
|---------------------------------|---------------------------|----------------------|-------------------------|
| 14.1 UN number or ID number | No data available. | No data available. | No data available. |
| 14.2 UN proper shipping name | No data available. | No data available. | No data available. |
| 14.3 Transport hazard class(es) | No data available. | No data available. | No data available. |
| 14.4 Packing group | No data available. | No data available. | No data available. |

| 14.5 Environmental hazards | No data available. | No data available. | No data available. |
|------------------------------|---------------------------|---------------------------------|---------------------------|
| | | | |
| 14.6 Special precautions for | Please refer to the other | Please refer to the other | Please refer to the other |
| user | sections of the SDS for | sections of the SDS for further | sections of the SDS for |
| | further information. | information. | further information. |
| 14.7 Marine Transport in | No data available. | No data available. | No data available. |
| bulk according to IMO | | | |
| instruments | | | |
| Control Temperature | No data available. | No data available. | No data available. |
| | | | |
| Emergency Temperature | No data available. | No data available. | No data available. |
| ADR Classification Code | No data available. | No data available. | No data available. |
| IMDG Segregation Code | No data available. | No data available. | No data available. |
| | | | |

Please contact the address or phone number listed on the first page of the SDS for additional information on the transport/shipment of the material by rail (RID) or inland waterways (ADN).

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions on the manufacture, placing on the market and use:

The following substance(s) contained in this product is/are subject through Annex XVII of REACH regulation to restrictions on the manufacture, placing on the market and use when present in certain dangerous substances, mixtures and articles. Users of this product are required to comply with the restrictions placed upon it by the aforementioned provision.

reaction mass of: 5-chloro-2-methyl-4-isothiazolin- 55965-84-9 3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

Global inventory status

Contact manufacturer for more information The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Philippines RA 6969 requirements. Certain restrictions may apply. Contact the selling division for additional information. This product complies with Measures on Environmental Management of New Chemical Substances. All ingredients are listed on or exempt from on China IECSC inventory. The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

DIRECTIVE 2012/18/EU

Seveso hazard categories, Annex 1, Part 1 None

Seveso named dangerous substances, Annex 1, Part 2

| Dangerous Substances | Identifier(s) | Qualifying quantity (tonnes) for the application of | |
|--|---------------|---|-------------------------|
| | | Lower-tier requirements | Upper-tier requirements |
| reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) | 55965-84-9 | 50 | 200 |

Regulation (EU) No 649/2012

No chemicals listed

15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for this mixture. Chemical safety assessments for the contained substances may have been carried out by the registrants of the substances in accordance with Regulation (EC) No 1907/2006, as amended.

SECTION 16: Other information

List of relevant H statements

| EUH071 | Corrosive to the respiratory tract. |
|--------|---|
| H301 | Toxic if swallowed. |
| H302 | Harmful if swallowed. |
| H310 | Fatal in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H330 | Fatal if inhaled. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

Revision information:

Section 1: Address information was modified.
Company Telephone information was modified.
Section 1: E-mail address information was modified.
Section 1: Emergency telephone information was modified.
Section 09: Particle Characteristics N/A information was added.

Section 16: Web address information was modified.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into the European Union, you are responsible for all regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration.

Meguiar's, Inc. Ireland SDSs are available at www.3M.com