

## Safety Data Sheet

Copyright, 2023, Meguiar's Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Meguiar's Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document group:
 33-8890-7
 Version number:
 2.03

 Revision date:
 24/10/2023
 Supersedes date:
 20/09/2023

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

# **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

#### 1.1. Product identifier

New Car Scent Protectant Spray G42 [G4216]

#### **Product Identification Numbers**

14-1001-1779-6 14-1001-5594-5

7011663826 7100315571

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### **Identified uses**

Automotive

## 1.3. Details of the supplier of the safety data sheet

Address: Meguiars United Kingdom Limited, 3 Lamport Court, Heartlands, Daventry, Northants, NN11 8UF

Telephone: +44 (0)870 241 6696 E Mail: info@meguiars.co.uk Website: www.meguiars.co.uk

#### 1.4. Emergency telephone number

+44 (0)870 241 6696

## **SECTION 2: Hazard identification**

## 2.1. Classification of the substance or mixture CLP REGULATION (EC) No 1272/2008

The health and environmental classifications of this material have been derived using the calculation method, except in cases where test data are available or the physical form impacts classification. Classification(s) based on test data or physical form are noted below, if applicable.

This material has been tested for eye damage/irritation and the test results do not meet the criteria for classification.

#### CLASSIFICATION:

Hazardous to the Aquatic Environment (Chronic), Category 3 - Aquatic Chronic 3; H412

For full text of H phrases, see Section 16.

#### 2.2. Label elements

CLP REGULATION (EC) No 1272/2008

#### **HAZARD STATEMENTS:**

H412 Harmful to aquatic life with long lasting effects.

#### PRECAUTIONARY STATEMENTS

Disposal:

P501 Dispose of contents/container in accordance with applicable local/regional/national/international

regulations.

#### SUPPLEMENTAL INFORMATION:

#### **Supplemental Hazard Statements:**

EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-

7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an

allergic reaction.

#### Information required per Regulation (EU) No 528/2012 on Biocidal Products:

Contains a biocidal product (preservative): C(M)IT/MIT (3:1).

#### Notes on labelling

Updated per Regulation (EC) No. 648/2004 on detergents.

Ingredients required per 648/2004. Contains: Perfume, Benzyl benzoate, Mixture of Methylchloroisothiazolinone and Methylisothiazolinone (3:1).

#### 2.3. Other hazards

None known.

This material does not contain any substances that are assessed to be a PBT or vPvB

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Ingredient	Identifier(s)	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Water	Mixture	60 - 80	Substance not classified as hazardous
Alcohols, C11-14-iso-, C13-rich, ethoxylated	(CAS-No.) 78330-21-9	1 - 5	Acute Tox. 4, H302 Eye Dam. 1, H318 Aquatic Acute 1, H400,M=1 Aquatic Chronic 1, H410,M=1
2-Cyano-3,3-diphenyl-2-propenoic acid, 2-ethylhexyl ester	(CAS-No.) 6197-30-4 (EC-No.) 228-250-8	< 0.5	Aquatic Chronic 1, H410,M=10
2-amino-2-methylpropanol	(CAS-No.) 124-68-5 (EC-No.) 204-709-8	< 0.5	Skin Irrit. 2, H315 Eye Irrit. 2, H319

	Aquatic Chronic 3, H412
(CAS-No.) 55965-84-9 (EC-No.) 911-418-6	EUH071 Acute Tox. 3, H301 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400,M=100 Aquatic Chronic 1, H410,M=100
	Nota B Acute Tox. 2, H330 Acute Tox. 2, H310

Any entry in the Identifier(s) column that begins with the numbers 6, 7, 8, or 9 are a Provisional List Number provided by ECHA pending publication of the official EC Inventory Number for the substance. Please see section 16 for the full text of any H statements referred to in this section

#### **Specific Concentration Limits**

Ingredient	Identifier(s)	Specific Concentration Limits
	(0.10.37.)	40 000000000000000000000000000000000000
		$(C \ge 0.6\%)$ Skin Corr. 1C, H314
isothiazolin-3-one [EC no. 247-500-7]and 2-	(EC-No.) 911-418-6	(0.06% = < C < 0.6%) Skin Irrit. 2, H315
methyl-2H-isothiazol-3-one [EC no. 220-		$(C \ge 0.6\%)$ Eye Dam. 1, H318
239-6] (3:1)		(0.06% = < C < 0.6%) Eye Irrit. 2, H319
		$(C \ge 0.0015\%)$ Skin Sens. 1A, H317

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### Inhalation

Remove person to fresh air. If you are concerned, get medical advice.

#### Skin contact

Wash with soap and water. If you are concerned, get medical advice.

#### Eye contact

Flush eyes with large amounts of water. If signs/symptoms persist, get medical attention.

#### If swallowed

Rinse mouth. If you are concerned, get medical advice.

#### 4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

#### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

## **SECTION 5: Fire-fighting measures**

#### 5.1. Extinguishing media

In case of fire: Use a carbon dioxide or dry chemical extinguisher to extinguish.

#### 5.2. Special hazards arising from the substance or mixture

Closed containers exposed to heat from fire may build pressure and explode.

#### **5.3.** Advice for fire-fighters

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture. Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

#### 6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water.

#### 6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorised person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and Safety Data Sheet. Clean up residue with detergent and water. Seal the container. Dispose of collected material as soon as possible.

#### 6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Keep out of reach of children. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.) Use personal protective equipment (eg. gloves, respirators...) as required.

#### 7.2. Conditions for safe storage including any incompatibilities

Store away from acids. Store away from oxidising agents.

#### 7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational exposure limits

No occupational exposure limit values exist for any of the components listed in Section 3 of this Safety Data Sheet.

#### **Biological limit values**

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

#### 8.2. Exposure controls

#### 8.2.1. Engineering controls

No engineering controls required.

#### 8.2.2. Personal protective equipment (PPE)

#### Eye/face protection

None required.

#### Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing.

Gloves made from the following material(s) are recommended:

Material Thickness (mm)		Breakthrough Time
Butyl rubber.	0.5	=>8 hours
Neoprene.	0.5	=>8 hours
Nitrile rubber.	0.35	=>8 hours

The glove data presented are based on the substance driving dermal toxicity and the conditions present at the time of testing. Breakthrough time may be altered when the glove is subjected to use conditions that place additional stress on the glove.

Applicable Norms/Standards
Use gloves tested to EN 374

## Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

Applicable Norms/Standards

Use a respirator conforming to EN 140 or EN 136: filter types A & P

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical stateLiquid.ColourMilky WhiteOdorClean, LeatherOdour thresholdNo data available.Melting point/freezing pointNo data available.Boiling point/boiling range100 °CFlammability (solid, gas)Not applicable.

Flammable Limits(LEL)

Flammable Limits(UEL)

No data available.

No data available.

#### New Car Scent Protectant Spray G42 [G4216]

Flash point <= 93.3 °C [Test Method: Pensky-Martens Closed Cup]

Autoignition temperature No data available. No data available. **Decomposition temperature** 

рH

8.5 - 9.8**Kinematic Viscosity** 2.000 mm<sup>2</sup>/sec Water solubility No data available. Solubility- non-water No data available. Partition coefficient: n-octanol/water No data available. Vapour pressure No data available.

0.99 g/ml Density

Relative density 0.99 [*Ref Std*:WATER=1] No data available. **Relative Vapour Density** 

9.2. Other information

9.2.2 Other safety characteristics

**EU Volatile Organic Compounds** No data available. **Evaporation rate** No data available.

Percent volatile 79.8 % weight [Details: Calculated]

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

#### 10.2 Chemical stability

Stable.

#### 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

#### 10.4 Conditions to avoid

None known.

#### 10.5 Incompatible materials

Strong acids.

Strong oxidising agents.

#### 10.6 Hazardous decomposition products

**Substance Condition** 

None known.

## **SECTION 11: Toxicological information**

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from internal hazard assessments.

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation

No known health effects.

#### Skin contact

Contact with the skin during product use is not expected to result in significant irritation.

#### **Eve contact**

Contact with the eyes during product use is not expected to result in significant irritation.

#### Ingestion

May cause additional health effects (see below).

#### **Additional Health Effects:**

#### Reproductive/Developmental Toxicity:

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

#### **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

#### **Acute Toxicity**

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Alcohols, C11-14-iso-, C13-rich, ethoxylated	Dermal	Rat	LD50 > 2,000 mg/kg
Alcohols, C11-14-iso-, C13-rich, ethoxylated	Ingestion	Rat	LD50 500-2000 mg/kg
2-amino-2-methylpropanol	Dermal	Rabbit	LD50 > 2,000  mg/kg
2-amino-2-methylpropanol	Ingestion	Rat	LD50 2,900 mg/kg
2-Cyano-3,3-diphenyl-2-propenoic acid, 2-ethylhexyl ester	Dermal		LD50 estimated to be > 5,000 mg/kg
2-Cyano-3,3-diphenyl-2-propenoic acid, 2-ethylhexyl ester	Ingestion	Rat	LD50 > 5,000 mg/kg
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Dermal	Rabbit	LD50 87 mg/kg
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Inhalation- Dust/Mist (4 hours)	Rat	LC50 0.171 mg/l
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Ingestion	Rat	LD50 40 mg/kg

ATE = acute toxicity estimate

#### Skin Corrosion/Irritation

Name	Species	Value
Alcohols, C11-14-iso-, C13-rich, ethoxylated	Rabbit	Mild irritant
2-amino-2-methylpropanol	Rabbit	Irritant
2-Cyano-3,3-diphenyl-2-propenoic acid, 2-ethylhexyl ester	Rabbit	Minimal irritation
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Rabbit	Corrosive

Serious Eye Damage/Irritation

Name	Species	Value
Overall product	In vitro data	No significant irritation
Alcohols, C11-14-iso-, C13-rich, ethoxylated	Rabbit	Corrosive
2-amino-2-methylpropanol	Rabbit	Corrosive

## New Car Scent Protectant Spray G42 [G4216]

2-Cyano-3,3-diphenyl-2-propenoic acid, 2-ethylhexyl ester	similar health hazards	Mild irritant
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Rabbit	Corrosive

#### **Skin Sensitisation**

Name	Species	Value
Alcohols, C11-14-iso-, C13-rich, ethoxylated	Human	Not classified
2-amino-2-methylpropanol	Guinea	Not classified
	pig	
2-Cyano-3,3-diphenyl-2-propenoic acid, 2-ethylhexyl ester	Guinea	Not classified
	pig	
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and	Human	Sensitising
2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	and	
	animal	

#### Photosensitisation

Name	Species	Value
2-Cyano-3,3-diphenyl-2-propenoic acid, 2-ethylhexyl ester	Guinea	Not sensitising
	pig	
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and	Human	Not sensitising
2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	and	
	animal	

## **Respiratory Sensitisation**

For the component/components, either no data is currently available or the data is not sufficient for classification.

**Germ Cell Mutagenicity** 

Germ Cen Wuagemery		T
Name	Route	Value
2-amino-2-methylpropanol	In Vitro	Not mutagenic
2-amino-2-methylpropanol	In vivo	Not mutagenic
2-Cyano-3,3-diphenyl-2-propenoic acid, 2-ethylhexyl ester	In Vitro	Not mutagenic
2-Cyano-3,3-diphenyl-2-propenoic acid, 2-ethylhexyl ester	In vivo	Not mutagenic
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and	In vivo	Not mutagenic
2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)		
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and	In Vitro	Some positive data exist, but the data are not
2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)		sufficient for classification

Carcinogenicity

Name	Route	Species	Value
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6]	Dermal	Mouse	Not carcinogenic
(3:1)			
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Ingestion	Rat	Not carcinogenic

## Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
2-amino-2-methylpropanol	Ingestion	Not classified for female reproduction	Rat	NOAEL 1,000 mg/kg/day	premating into lactation
2-amino-2-methylpropanol	Ingestion	Not classified for male reproduction	Rat	NOAEL 1,000 mg/kg/day	37 days

2-amino-2-methylpropanol	Dermal	Dermal Not classified for development		NOAEL 300 mg/kg/day	during gestation
2-amino-2-methylpropanol	Ingestion	Toxic to development	Rat	NOAEL 100 mg/kg/day	premating into lactation
2-Cyano-3,3-diphenyl-2-propenoic acid, 2-ethylhexyl ester	Dermal	Not classified for development	Rabbit	NOAEL 300 mg/kg/day	during organogenesis
2-Cyano-3,3-diphenyl-2-propenoic acid, 2- ethylhexyl ester	Ingestion	Not classified for development	Rat	NOAEL 1,000 mg/kg/day	during organogenesis
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Ingestion	Not classified for female reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Ingestion	Not classified for male reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	Ingestion	Not classified for development	Rat	NOAEL 15 mg/kg/day	during organogenesis

## Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Alcohols, C11-14-iso-, C13-rich, ethoxylated	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	
2-amino-2-methylpropanol	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	Mouse	NOAEL Not available	
2-Cyano-3,3-diphenyl-2- propenoic acid, 2- ethylhexyl ester	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification		NOAEL Not available	
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)	Inhalation	respiratory irritation	May cause respiratory irritation	similar health hazards	NOAEL Not available	

**Specific Target Organ Toxicity - repeated exposure** 

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
2-amino-2-methylpropanol	Ingestion	liver	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 23 mg/kg/day	90 days
2-amino-2-methylpropanol	Ingestion	blood   eyes   kidney and/or bladder	Not classified	Dog	NOAEL 2.8 mg/kg/day	1 years
2-Cyano-3,3-diphenyl-2- propenoic acid, 2- ethylhexyl ester	Dermal	hematopoietic system	Not classified	Rabbit	NOAEL 534 mg/kg/day	13 weeks
2-Cyano-3,3-diphenyl-2- propenoic acid, 2- ethylhexyl ester	Ingestion	endocrine system	Not classified	Rat	NOAEL 1,085 mg/kg	90 days
2-Cyano-3,3-diphenyl-2- propenoic acid, 2- ethylhexyl ester	Ingestion	blood   liver   kidney and/or bladder	Not classified	Rabbit	NOAEL 1,085 mg/kg/day	13 weeks

#### **Aspiration Hazard**

For the component/components, either no data is currently available or the data is not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information

\_\_\_\_\_\_

on this material and/or its components.

#### 11.2. Information on other hazards

This material does not contain any substances that are assessed to be an endocrine disruptor for human health.

## **SECTION 12: Ecological information**

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

#### 12.1. Toxicity

No product test data available.

Material	CAS#	Organism	Type	Exposure	Test endpoint	Test result
2-amino-2-	124-68-5	Activated sludge	Experimental	3 hours	EC50	342.9 mg/l
methylpropanol						
2-amino-2-	124-68-5	Fish	Experimental	96 hours	LC50	184 mg/l
methylpropanol			1			
2-amino-2-	124-68-5	Green algae	Experimental	72 hours	EC50	520 mg/l
methylpropanol						
2-amino-2-	124-68-5	Water flea	Experimental	24 hours	EC50	65 mg/l
methylpropanol						
2-Cyano-3,3-diphenyl-	6197-30-4	Activated sludge	Experimental	30 minutes	NOEC	1,000 mg/l
2-propenoic acid, 2- ethylhexyl ester						
2-Cyano-3,3-diphenyl-	6197-30-4	Golden Orfe	Experimental	96 hours	No tox obs at lmt	>100 mg/l
2-propenoic acid, 2-					of water sol	
ethylhexyl ester						
2-Cyano-3,3-diphenyl-	6197-30-4	Green algae	Experimental	72 hours	No tox obs at lmt	>100 mg/l
2-propenoic acid, 2-					of water sol	
ethylhexyl ester						
- J J	6197-30-4	Water flea	Experimental	48 hours	No tox obs at lmt	>100 mg/l
2-propenoic acid, 2-					of water sol	
ethylhexyl ester						
2-Cyano-3,3-diphenyl-	6197-30-4	Green algae	Experimental	72 hours	No tox obs at lmt	>100 mg/l
2-propenoic acid, 2-					of water sol	
ethylhexyl ester		1			11000	
2-Cyano-3,3-diphenyl-	6197-30-4	Water flea	Experimental	21 days	NOEC	0.00266 mg/l
2-propenoic acid, 2-						
ethylhexyl ester	70220 21 0	P. d. I. :	1	061	1.050	4.5. //
Alcohols, C11-14-iso-,	78330-21-9	Fathead minnow	Analogous Compound	96 hours	LC50	4.5 mg/l
C13-rich, ethoxylated	70220 21 0	C 1		72.1	ECCO	0.5
Alcohols, C11-14-iso-, C13-rich, ethoxylated	78330-21-9	Green algae	Analogous Compound	72 hours	EC50	0.5 mg/l
Alcohols, C11-14-iso-,	78330-21-9	Water flea	Analogous	48 hours	EC50	0.5 mg/l
C13-rich, ethoxylated	/8330-21-9	water frea	Compound	48 Hours	ECSU	0.3 mg/1
Alcohols, C11-14-iso-,	78330-21-9	Algae or other	Analogous	72 hours	EC10	>0.1 mg/l
C13-rich, ethoxylated	/6330-21-9	aquatic plants	Compound	72 Hours	ECTO	-0.1 mg/1
reaction mass of: 5-	55965-84-9	Activated sludge	Experimental	3 hours	NOEC	0.91 mg/l
chloro-2-methyl-4-	33903-04-9	Activated studge	Experimental	3 Hours	NOEC	0.91 mg/1
isothiazolin-3-one [EC						
no. 247-500-7 and 2-						
methyl-2H-isothiazol-						
3-one [EC no. 220-239-						
6] (3:1)						
reaction mass of: 5-	55965-84-9	Bacteria	Experimental	16 hours	EC50	5.7 mg/l
chloro-2-methyl-4-			1			
isothiazolin-3-one [EC						
no. 247-500-7]and 2-						

methyl-2H-isothiazol-						
3-one [EC no. 220-239-						
6] (3:1) reaction mass of: 5-	55965-84-9	Copepod	Experimental	48 hours	EC50	0.007 mg/l
chloro-2-methyl-4-				1.0.000		
isothiazolin-3-one [EC						
no. 247-500-7]and 2- methyl-2H-isothiazol-						
3-one [EC no. 220-239-						
6] (3:1)						
reaction mass of: 5- chloro-2-methyl-4-	55965-84-9	Diatom	Experimental	72 hours	ErC50	0.0199 mg/l
isothiazolin-3-one [EC						
no. 247-500-7]and 2-						
methyl-2H-isothiazol-						
3-one [EC no. 220-239-6] (3:1)						
reaction mass of: 5-	55965-84-9	Green algae	Experimental	72 hours	ErC50	0.027 mg/l
chloro-2-methyl-4-						
isothiazolin-3-one [EC no. 247-500-7]and 2-						
methyl-2H-isothiazol-						
3-one [EC no. 220-239-						
6] (3:1)	55965-84-9	D:1	F : 41	061	1.050	0.10 //
reaction mass of: 5- chloro-2-methyl-4-	55965-84-9	Rainbow trout	Experimental	96 hours	LC50	0.19 mg/l
isothiazolin-3-one [EC						
no. 247-500-7]and 2-						
methyl-2H-isothiazol- 3-one [EC no. 220-239-						
6] (3:1)						
reaction mass of: 5-	55965-84-9	Sheepshead	Experimental	96 hours	LC50	0.3 mg/l
chloro-2-methyl-4-		Minnow				
isothiazolin-3-one [EC no. 247-500-7]and 2-						
methyl-2H-isothiazol-						
3-one [EC no. 220-239-						
6] (3:1) reaction mass of: 5-	55965-84-9	Water flea	Experimental	48 hours	EC50	0.099 mg/l
chloro-2-methyl-4-	33903-84-9	water rica	Experimental	46 110015	ECSU	0.099 mg/1
isothiazolin-3-one [EC						
no. 247-500-7]and 2- methyl-2H-isothiazol-						
3-one [EC no. 220-239-						
6] (3:1)						
reaction mass of: 5-	55965-84-9	Diatom	Experimental	48 hours	NOEC	0.00049 mg/l
chloro-2-methyl-4- isothiazolin-3-one [EC						
no. 247-500-7]and 2-						
methyl-2H-isothiazol-						
3-one [EC no. 220-239-6] (3:1)						
reaction mass of: 5-	55965-84-9	Fathead minnow	Experimental	36 days	NOEL	0.02 mg/l
chloro-2-methyl-4-			-F	- 2, 2		
isothiazolin-3-one [EC						
no. 247-500-7]and 2- methyl-2H-isothiazol-						
3-one [EC no. 220-239-						
6] (3:1)			<u> </u>		1,1000	
reaction mass of: 5-	55965-84-9	Green algae	Experimental	72 hours	NOEC	0.004 mg/l
chloro-2-methyl-4- isothiazolin-3-one [EC						
no. 247-500-7]and 2-						
methyl-2H-isothiazol-						
3-one [EC no. 220-239-6] (3:1)						
reaction mass of: 5-	55965-84-9	Water flea	Experimental	21 days	NOEC	0.004 mg/l
chloro-2-methyl-4-	-					
isothiazolin-3-one [EC		1				

New Car Scent Protectant Spray G	12 IC	G4216
----------------------------------	-------	-------

no. 247-500-7]and 2-			
methyl-2H-isothiazol-			
3-one [EC no. 220-239-			
6] (3:1)			

## 12.2. Persistence and degradability

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
2-amino-2-methylpropanol	124-68-5	Experimental Biodegradation	28 days	BOD	89.3 %BOD/Th OD	OECD 301F - Manometric respirometry
2-Cyano-3,3-diphenyl-2- propenoic acid, 2- ethylhexyl ester	6197-30-4	Experimental Biodegradation	28 days	BOD	0 %BOD/ThO D	EC C.4.D. Manometric Respirom
Alcohols, C11-14-iso-, C13-rich, ethoxylated	78330-21-9	Experimental Biodegradation	28 days	CO2 evolution	≥50 %CO2 evolution/THC O2 evolution	OECD 301B - Modified sturm or CO2
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	Analogous Compound Biodegradation	29 days	CO2 evolution	62 %CO2 evolution/THC O2 evolution (does not pass 10-day window)	OECD 301B - Modified sturm or CO2
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)	55965-84-9	Experimental Hydrolysis		Hydrolytic half-life (pH 7)	> 60 days (t 1/2)	

## 12.3 : Bioaccumulative potential

Material	Cas No.	Test type	Duration	Study Type	Test result	Protocol
2-amino-2-methylpropanol	124-68-5	Experimental Bioconcentration		Log Kow	-0.63	
2-Cyano-3,3-diphenyl-2- propenoic acid, 2- ethylhexyl ester	6197-30-4	Experimental BCF - Fish	28 days	Bioaccumulation factor	887	OECD305-Bioconcentration
2-Cyano-3,3-diphenyl-2- propenoic acid, 2- ethylhexyl ester	6197-30-4	Experimental Bioconcentration		Log Kow	6.1	EC A.8 Partition Coefficient
Alcohols, C11-14-iso-, C13-rich, ethoxylated	78330-21-9	Experimental BCF - Fish	54 hours	Bioaccumulation factor	232	
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)	55965-84-9	Analogous Compound BCF - Fish	28 days	Bioaccumulation factor	54	OECD305-Bioconcentration
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)	55965-84-9	Analogous Compound Bioconcentration		Log Kow	0.4	

## 12.4. Mobility in soil

Material	Cas No.	Test type	Study Type	Test result	Protocol
2-Cyano-3,3-diphenyl-2- propenoic acid, 2- ethylhexyl ester	6197-30-4	Experimental Mobility in Soil	Koc	29934-79018 l/kg	
reaction mass of: 5-chloro- 2-methyl-4-isothiazolin-3- one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-		Experimental Mobility in Soil	Koc	10 l/kg	OECD 106 Adsp-Desb Batch Equil

.....

one [EC no. 220-239-6]			
(3:1)			

#### 12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

#### 12.6. Endocrine disrupting properties

This material does not contain any substances that are assessed to be an endocrine disruptor for environmental effects

#### 12.7. Other adverse effects

No information available.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of the manufacturer, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/CE and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor

#### EU waste code (product as sold)

20 01 30 Detergents other than those mentioned in 20 01 29.

## **SECTION 14: Transportation information**

Not hazardous for transportation.

	Ground Transport (ADR)	Air Transport (IATA)	Marine Transport (IMDG)
14.1 UN number or ID number	No data available.	No data available.	No data available.
14.2 UN proper shipping name	No data available.	No data available.	No data available.
14.3 Transport hazard class(es)	No data available.	No data available.	No data available.
14.4 Packing group	No data available.	No data available.	No data available.

14.5 Environmental hazards	No data available.	No data available.	No data available.
14.6 Special precautions for	Please refer to the other	Please refer to the other	Please refer to the other
user	sections of the SDS for	sections of the SDS for further	sections of the SDS for
	further information.	information.	further information.
14.7 Marine Transport in	No data available.	No data available.	No data available.
bulk according to IMO instruments			
Control Temperature	No data available.	No data available.	No data available.
<b>Emergency Temperature</b>	No data available.	No data available.	No data available.
ADR Classification Code	No data available.	No data available.	No data available.
IMDG Segregation Code	No data available.	No data available.	No data available.

Please contact the address or phone number listed on the first page of the SDS for additional information on the transport/shipment of the material by rail (RID) or inland waterways (ADN).

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Restrictions on the manufacture, placing on the market and use:

The following substance(s) contained in this product is/are subject through Annex XVII of REACH regulation to restrictions on the manufacture, placing on the market and use when present in certain dangerous substances, mixtures and articles. Users of this product are required to comply with the restrictions placed upon it by the aforementioned provision.

<u>Ingredient</u> <u>CAS Nbr</u>

reaction mass of: 5-chloro-2-methyl-4-isothiazolin- 55965-84-9

3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)
Restriction status: listed in REACH Annex XVII

Restricted uses: See Annex XVII to Regulation (EC) No 1907/2006 for Conditions of Restriction

#### Global inventory status

Contact manufacturer for more information The components of this material are in compliance with the provisions of the Korea Chemical Control Act. Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Japan Chemical Substance Control Law. Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Philippines RA 6969 requirements. Certain restrictions may apply. Contact the selling division for additional information. The components of this product are in compliance with the new substance notification requirements of CEPA. This product complies with Measures on Environmental Management of New Chemical Substances. All ingredients are listed on or exempt from on China IECSC inventory. The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the

#### New Car Scent Protectant Spray G42 [G4216]

active portion of the TSCA Inventory.

#### DIRECTIVE 2012/18/EU

Seveso hazard categories, Annex 1, Part 1

None

Seveso named dangerous substances, Annex 1, Part 2

Dangerous Substances	Identifier(s)	Qualifying quantity (tonnes) for the application of	
		Lower-tier requirements	Upper-tier requirements
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	55965-84-9	50	200

#### Regulation (EU) No 649/2012

No chemicals listed

#### 15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for this substance/mixture in accordance with Regulation (EC) No 1907/2006, as amended.

## **SECTION 16: Other information**

#### List of relevant H statements

EUH071	Corrosive to the respiratory tract.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

#### **Revision information:**

Section 4: First aid for ingestion (swallowing) information information was modified.

Section 4: First aid for inhalation information information was modified.

Section 11: Health Effects - Ingestion information information was modified.

Section 11: Health Effects - Inhalation information information was modified.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into the European Union, you are responsible for all regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration.

New Car Scent Protectant Spray G42 [G4216]						
Meguiar's, Inc. Ireland SDSs are available at www.meguiars.co.uk						